

Sabine
group 2

Note: Photographic fabric scans are not colour accurate.
Always request actual fabric samples before ordering.




White



Ivory



Tan



Anthracite



Stone




Saddle



Brown




Taupe




Choco



Black



Silver



Aqua




Blue




Kiwi




Yellow




Maroc




Apricot



Cherry



Pink



Wine



Lilac

Sabine

Product information

Sabine evokes the revival of nature showing its new forms and colours. It offers a combination of enduring aesthetic appeal and high performance durability.

Technical information

EN	D	F	ES
Composition 100% Polyester	Zusammensetzung 100% Polyester	Composition 100% Polyester	Composición 100% Poliéster
Weight 380 gr/m2	Gewicht 380 gr/m2	Poids 380 gr/m2	Peso 380 gr/m2
Width 137 cm	Breite 137 cm	Largeur 137 cm	Ancho 137 cm
Abrasion Resistance 40,000 Martindale Cycles	Scheuerfestigkeit 40,000 Martindale Fahrräder	Résistance à l'abrasion 40,000 Martindale Cycles	Resistencia a la abrasión 40,000 Martindale Ciclos
Tear Strength Weft:154 N - Warp:190 N (ISO 13937-2)	Reißfestigkeit Weft:154 N - Warp:190 N (ISO 13937-2)	La résistance au déchirement Weft:154 N - Warp:190 N (ISO 13937-2)	Resistencia al desgarre Weft:154 N - Warp:190 N (ISO 13937-2)
Resistance to seam slippage Weft:0-1mm - Warp:1-2mm (ISO 13906-2)	Der Widerstand gegen Nahtschlupf Schuss:0-1mm - Kette:1-2mm (ISO 13906-2)	La résistance au glissement de couture Chaîne de trame:0-1mm - 1-2mm (ISO 13906-2)	Resistencia al deslizamiento de costura Urdimbre de la trama:0-1mm - 1-2mm (ISO 13906-2)
Pilling 4 (ISO 12945-2)	Pilling 4 (ISO 12945-2)	Boulochage 4 (ISO 12945-2)	Pilling 4 (ISO 12945-2)
Color Fastness Wet: 5 Dry: 5 (ISO-105-X12)	Farbechtheit Nass: 5 Trocken: 5 (ISO-105-X12)	Solidité de la couleur Mouillé 5 Sec: 5 (ISO-105-X12)	Rapidez del color Húmeda 5 Seco: 5 (ISO-105-X12)